


# Design Optimization and analysis methods development

### Francesco Di Caprio, Ph.D

f.dicaprio@cira.it nd Dynamic Lab.


Airframe Design and Dynamic Lab. Structural & Material Division





# Why optimize?

- Generally not for all products a rigorous optimization analysis is performed, this depends on the benefit-cost ratio
- It is quite unlikely that it will be done for small parts... but if their number is high, non-execution could result in a non negligible error!
- If the designer wants his component to be the best, he must spend time optimizing
- For any structural component (part) there are a lot of reasons to optimize...



### What kind of optimization approach are available?

- There are many optimization tool based on different theories area available: deterministic, stochastic, evolution methods
- A lot of them are available in dedicate general-purpose commercial codes and/or in a CAE environmental

### Classes of Design Optimization (CAE/FEM)


### SIZING OPTIMIZATION

Element, Material and Connectivity properties can be used as design variables

### TOPOMETRY OPTIMIZATION

Special automated procedure for sizing optimization







### SHAPE OPTIMIZATION

The shape of the structure can be varies to satisfy specific requirements

### TOPOGRAPHY OPTIMIZATION

Special shape optimization procedure in which bead Theory is used to modify the shape of the structure





### TOPOLOGY OPTIMIZATION


It finds an optimal distribution of material given the package space, loads and boundary conditions








### Simulation for additive.... Think additive!




Simulation of the sintering process

Spatial and temporal distribution of temperatures


Application: Optimization of process parameters



Lattice / solid structures (titanium-composite)
Application: Shock absorbers, nozzles
Optimization tool with CAD model (ready to print)



Optimization tool for complex metal components Input: boundary condition, working volume Automatic generation of ready-to-print CAD model





Optimization tool based on genetic algorithms
For lattice structure type
Automatic generation of ready-to-print CAD model



# Simulation for Additive Manufacturing Process

- Development of a numerical methodology for the simulation of the entire manufacturing process of a metal component using EBM-type powder bed fusion additive processes
- All the phases of the real manufacturing process have been incorporated into the numerical simulation:
  - Working chamber preheating
  - Spreading powders
  - Preheating of powders
  - Contour melting
  - Hatch melting
  - Final cooling









### Structural optimization thinking additive


### Hybrid Nozzle (composite/Titanium)



Closure Plate for Bladder tank (original: 0.5 kg, opt: 0.30 kg)




Nose landing gear fitting (PZL-M28) – AI: 524g; Ti: 473g




Nozzle – FEM/CAD

Manufactured

Fuel Tank Flanges (original - Aluminum: 300 g, opt Titanium: 318 g




Equipment support – Interstage 2/3 (CNC: 225g; ALM: 150g)



- The project of Vega C launcher is focused on capability improvement of the current Vega launcher.
- The Vega C launcher is characterized by an increase of pay-load capacity from the 1500 kg (present Vega launcher) up to 2200 kg (new Vega C) in LEO orbit. All that will enable an improvement of performance and costs.
- The Interstage structure is realized in a composite ANISO-GRID architecture. The grid structure, respect to metallic structure, allows to provide similar longitudinal stiffness, higher longitudinal compressive strength and a low mass density (almost 0.5 respect to similar metallic structures).














- The Interstage 2/3 project cover the design and manufacturing of all internal metallic secondary structure (separation spring assemblies, equipment supports and the basecover)
- All component has been designed by CIRA and manufactured by an AVIO third-party.
- All component have been installed and tested in the DMO model (global test)



FWD Sep. Spring Supp

Closure ring



Forward Interstage

Afterward Interstage

Some Load cases (total: 8 + 6-FSA) With specific requirements

#### CASE 1 - Forward spring support Verification Items:

- · Forward Spring Support
- Load Condition:
- Axial Force: 12168 N

#### Requirements:

- Max Axial displacement: < 0.5 mm
- Max rotation angle (spring axis) < 0.1°
- MoS > 0



#### CASE 2 - Afterward spring support Verification

Afterward Spring Support

- Load Condition:
- Axial Force: 12168 N Requirements:
- Max Axial displacement: < 0.5 mm
- Max rotation angle (spring axis) < 0.1°
- MoS > 0



#### CASE 4 - Lower Cup Verification

#### Items:

- Lower Cup
- Closure ring Load Condition:

Max Spring Axial Force: 12168 N

#### Requirements:

- Max radial displacement at the end: < 0.02 mm
- No interference with upper cup

#### CASE 6 - Verification of Spring Assembly deflection Items:

- Afterward Spring Support
- · Lower Cup
- · Upper Cup
- · Closure Ring · Separation Spring Spacer


#### Load Condition:


Lateral Force (Radial / Tangential): 1000 N Requirements:

- Max lateral displacement: < 1.5 mm</li>
- MoS > 0



### Many highly requirements challenging Moreover... the total mass has to be as small as possible!





Spring Assembly - Estimated Mass			
Upper Cup	0.535	[kg]	
Lower Cup	0.555	[kg]	
Forward Spring Support	0.658	[kg]	
Afterward Spring Support	1.447	[kg]	
Spacer	0.145	[kg]	
Closure Ring	0.177	[kg]	
Total Mass	3.517	[kg]	














### AFT Support (1447 g)









Retainer – Interstage 2/3 (76 g)





In order to satisfy the requirements and to guarantee the smaller weight, a numerical optimization procedure was set up. The procedure uses the commercial code ANSYS and NASTRAN connected each other by means of a dedicate routine (written in APDL). The procedure starts with a model discretized by shell element and finish with a numerical model discretized by 3D elements.







# Structural optimization for performance improvement


• Leading edge under bird impact

Bird initial velocity: 129 m/s


Bird mass: 3.68 kg Impact Energy: 30 kJ

**Experimental Results** 







	The state of	
9		
<b>—</b>	590	
CONTRACTOR OF THE PARTY OF THE		





**Best Configuration** 















Post impact permanent deformation



# What are next steps?

- · Improvement of the tool for the manufacturing process simulation
  - Reduce the computational cost
  - Further validation test cases
  - Increase the flexibility
- Improvement of the numerical methods for design optimization of lattice structure
  - Increase the capabilities
- Development of black-box design tools for all users
  - App development
- Study other optimization tools (commercial code) in order to highlight advantages and disadvantages of our procedures
- Development of novel approaches to reduce the computational cost for structural optimization in crashworthiness field

